


KT-32N Trailer


1. Top View



- Description:**
- All submitted plans are scaled of 1/2"=1'
 - 1/8" Aluminum diamond plate will be used for the floor.
 - Smooth aluminum or stainless steel sheet metal will be used for wall and ceiling
 - 4" high 3/8" radius aluminum molding extended to the wall will be used
 - NSF approved food graded silicon will be used to fill connections of cabinets, walls etc.
 - Aluminum diamond plate floor will be welded to fill gaps and connections to make it water resist
 - Specification sheet has been attached for all equipment used
 - All stainless steel cabinets installed with security latch to ensure doors reliability while moving
 - Shurflo water pump will be used model#: 2088-422-144, water delivery range 1.5-2.8 GPM.
 - Potable water inlet is 1" above over flow
 - 218" Type I hood has been provided
 - Utensil drawer is smooth and has rounded corners and can be easily pull out for cleaning
 - sanitizing buckets are mounted to the cabinet shelf and they have covers to prevent spillage while vehicle is in motion
 - Wash down hose is located under the 3 compartment sink in custom built stainless cabinet. It is not located above any food equipment. The length of the hose is as long as the truck
 - Preparation area is stainless steel smooth and cleanable
 - Hand wash sink bowl size is 14" x 10" x 6"
 - All appliances are NSF approved (please see NSF letters attached)
 - Trailer inside height is 84"
 - Shatterproof LED light will be used
 - All equipment mounted securely to the framing structure and/or counter top.
 - all gas-fired appliances properly insulated in a manner that will prevent excessive heat buildup and/or injury
 - All units will be built to the Los Angeles County Health Code requirement
 - All equipment are sealed to floor or have minimum 6" cleaning space under.


KT-32N Trailer

2. Passenger Side Interior View




Description:

- Utensil Drawer is easily cleanable stainless steel material.
- Under sinks area will be covered with stainless steel and door.
- Washdown hose is equipped with pistol grip hose nozzle




KT-32N Trailer

4. Driver Side Interior View




KT-32N Trailer

5. Driver Side Exterior View



6. Plumbing View



7. Front Side Exterior View

